

Wall 2025



PT. CENGKARENG PERMAI
BUILDING MATERIAL SPECIALIST

Verified Quality, Officially Distributed




Produk

Legerair / FLAT DESIGN PANEL / Neorock Photocatalytic Ceramic Coating /
Filltect Photocatalytic Ceramic Coating / Excellage Photocatalytic Ceramic Coating

Kotoran terurai oleh
sinar matahari

Daya Penguraian

Kotoran terurai oleh sinar matahari (sinar ultraviolet), melemahkan adhesi.




Rumah yang ramah lingkungan

Fungsi Pemurnian Udara

Lapisan photocatalytic mengurai polutan di udara dan gas buang (NOx dan SOx) menjadi udara bersih.

Kemampuan pemurnian udara dari lapisan Photocatalytic seluas 165m² setara dengan 12 pohon poplar.




*Dengan asumsi kemampuan pemurnian udara pohon poplar (NO₂) adalah 0,57g / hari

Kompatibilitas dengan air memudahkan dalam proses pembersihan.

Super Hydrophilic Properti

Karena kompatibilitas tinggi dengan air, kotoran akan terbilas dengan air hujan



Lapisan ceramic coating memberikan perlindungan yang kuat terhadap kepudaran warna dan terbakarnya akibat sinar matahari.


Ketahanan Cuaca Super

Efek ganda dari resin anorganik dan penyerap UV anorganik melindungi dari kerusakan seiring waktu dan meminimalkan paparan sinar UV.

Poin 1: Resin inorganik

Kerangka utamanya adalah 100% anorganik dengan ikatan yang diperkuat oleh energi UV untuk mencegah kerusakan seiring waktu.

■ Molecular struktur diagram



Poin 2: Penyerap sinar UV anorganik

Konstruksi yang bersifat anorganik membantu mencegah kerusakan dan mampu meminimalkan paparan sinar UV.




Produk

Neorock Hydrophilic coating / Excellage Hydrophilic coating
Filltect Hydrophilic coating / Ceradir Hydrophilic coating

Kompatibilitas dengan air
memungkinkan pembersihan yang mudah.

Tersiram oleh air hujan. Air mengenai kotoran dan membersihkannya.




Teknologi coating hydrophilic yang canggih membantu membersihkan kotoran yang menumpuk pada panel dengan air hujan. Setelah panel dibersihkan dari kotoran dengan air hujan, kelembaban tetap ada di permukaan hydrophilic. Lapisan warna dilindungi secara kuat dari kelembaban.

Hydrophilic

Struktur panel terbentuk dari substrate, lapisan dasar pelindung, dan pelapis hydrophilic.

Teknologi pelapis hydrophilic canggih. Kotoran dibersihkan oleh air hujan.



A red brick wall with a wooden shelf on the left. The shelf holds several keys hanging from it, some potted plants, and a small wooden box. The text 'Filltect Photocatalytic Ceramic Coating 16' is overlaid on the right side of the image.

Filltect Photocatalytic Ceramic Coating 16

Filltect Photocatalytic Ceramic Coating 16 Premium
Natural Brick FT
FH4927U

Barn Wood FT

Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★	Installation Horizontal and Vertical




HFH7521A




HFH7522A



HFH7523A



HFH7524A



HFH7526A

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint	
Panel						
HFH7521A	HFHD7521A	HFHL7521A	B2241557	B84302980	B97F2980AA	—
HFH7522A	HFHD7522A	HFHL7522A	B22413113	B84302831	B97F2981AA	—
HFH7523A	HFHD7523A	HFHL7523A	B2241W3	B84302982	B97F2982AA	—
HFH7524A	HFHD7524A	HFHL7524A	B2241441	B84302864	—	B98F2983AA
HFH7526A	HFHD7526A	HFHL7526A	B2241460	B84304099	—	B98F4099AA
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box ¹ (Ordering Unit 1piece)	1 set/box	1 set/box
				Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece, brush3pieces, felt stick2pieces	Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece, brush4pieces, felt stick3pieces


¹The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Fierte FT


Coating performance	Weather resistance	Installation
Photocatalytic Self-cleaning	Weather resistance grade ★★ ★	Installation Horizontal and Vertical




FH7272A



FH7274A



FH7275A



FH7276A



FH7277A



FH7278A





FH7279A

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint	
Panel						
FH7272A	FHD7272A	FHP7272A	B2241557	B84303887	B96F3887AA	—
FH7274A	FHD7274A	FHP7274A	B2241550	B84303891	B96F3891AA	—
FH7275A	FHD7275A	FHP7275A	B2241549	B84303892	—	B97F3892AA
FH7276A	FHD7276A	FHP7276A	B2241476	B84303939	—	B97F3939AA
FH7277A	FHD7277A	FHP7277A	B2241512	B84303937	B96F3937AA	—
FH7278A	FHD7278A	FHP7278A	B22413113	B8430442	—	B97F3938AA
FH7279A	FHD7279A	FHP7279A	B2241557	B84302949	—	B97F3988AA
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box ¹ (Ordering Unit 1piece)	1 set/box	1 set/box
				Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece, brush2pieces, felt stick1piece	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece, brush3pieces, felt stick2pieces

¹ The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Accurate FT

Coating performance

Photocatalytic Self-cleaning

Weather resistance

Weather resistance grade
★ ★ ★

Installation

Installation
Horizontal



FH7131U



FH7133U




FH7134U

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 26kg/piece

Outside corner

Outside corner l=455



16×outside:91 (inside:75)
×455(exposed width)

Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint
FH7131U		FHD7131U	B84302491B	B97L3910AU
FH7133U		FHD7133U	B84303045	B97L3912AU
FH7134U		FHD7134U	B84303045	B97L3913AU
Number of panel per package	10 pieces/box (Ordering Unit 1piece)		10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

^{*1} The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Natural Brick FT

Coating performance

Photocatalytic Self-cleaning

Weather resistance

Weather resistance grade
★★★

Installation

Installation
Horizontal



FH4925U



FH4926U



FH4927U

■ Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

■ Outside corner

Outside corner l=455



16×outside:91(inside:75)
×455(exposed width)

■ Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
Panel				
FH4925U	FHD4925U	B84302491A	B97L3959AU	—
FH4926U	FHD4926U	B8430746	—	B98L3960AU
FH4927U	FHD4927U	B8430427	—	B98L3961AU
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ^{*1} (Ordering Unit 1piece)	1 set/box	1 set/box
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces ^{*1} Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces	Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece,brush4pieces

^{*1} The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Sephiro Wood FT

Coating performance

Photocatalytic Self-cleaning

Weather resistance

Weather resistance grade
★★★★

Installation

Installation Horizontal and Vertical



FH4875U



FH4878U



FH4879U



FH48710U



FH48712U



FH48713U

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 26kg/piece

Outside corner

Outside corner l=455

Outside corner l=3030

Shiplap corner

Vertical installaion with clips

16×outside:91(inside:75) 16×outside:91(inside:75)
×455(exposed width) ×3030

Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
Panel					
FH4875U	FHD4875U	FHP4875U	B2241476	B84302833	B972833CU
FH4878U	FHD4878U	FHP4878U	B2241W3	B84302836	B972836CU
FH4879U	FHD4879U	FHP4879U	B22412606	B84302920	B972920AU
FH48710U	FHD48710U	FHP48710U	B2241W2	B8430495	B973946AU
FH48712U	FHD48712U	FHP48712U	B2241W1	B8430709	B962931BU
FH48713U	FHD48713U	FHP48713U	B2241W4	B84302636A	B974059AU
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box [*] (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces [*] Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(9g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces

^{*}1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Urban Cedar FT

Coating performance

Photocatalytic Self-cleaning

Weather resistance


Weather resistance grade
★★★

Installation


Installation Horizontal and Vertical




HFH7451U



HFH7452U




HFH7453U



HFH7454U



HFH7455U



HFH7456U



HFH7457U



HFH7458U

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner

Outside corner l=455 Outside corner l=3030

16×outside:91(inside:75) ×455(exposed width) 16×outside:91(inside:75) ×3030

Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Outside corner l=3030	Repair Paint		
Panel					
HFH7451U	HFHD7451U	HFHL7451U	—	B97L3954AU	—
HFH7452U	HFHD7452U	HFHL7452U	—	—	B98L3955AU
HFH7453U	HFHD7453U	HFHL7453U	—	B97L3956AU	—
HFH7454U	HFHD7454U	HFHL7454U	—	—	B98L3927AU
HFH7455U	HFHD7455U	HFHL7455U	—	—	B98L3958AU
HFH7456U	HFHD7456U	HFHL7456U	—	B97L4130AU	
HFH7457U	HFHD7457U	HFHL7457U	B96L4131AU		
HFH7458U	HFHD7458U	HFHL7458U	B96L4132AU		
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	1 set/box Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces	1 set/box Inorganic ever-drying type Paint Base(10g)2 kinds each, Hardener(7g)2pieces, Primer(7.5g)1piece,brush3pieces	1 set/box Inorganic ever-drying type Paint Base(10g)3 kinds each, Hardener(7g)3pieces, Primer(7.5g)1piece,brush4pieces

Sho Sugi Ban FT

Coating performance

Photocatalytic Self-cleaning

Weather resistance

Weather resistance grade
★★★★

Installation

Installation Horizontal and Vertical



HFH5481U



HFH5491U

■ Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

■ Outside corner

Outside corner l=455

Outside corner l=3030

Shiplap corner

Vertical installaion with clips

16×outside:91(inside:75)
×455(exposed width)

16×outside:91(inside:75)
×3030

■ Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
Panel					
HFH5481U	HFHD5481U	HFHL5481U	B2241W1	B84303045	B96L3222AU
HFH5491U	HFHD5491U	HFHL5491U	B2241W1	B84303045	B96L3222AU
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box* (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush, nozzle2pieces *Holder set are sold separately	1 set/box Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Fiotto FT

Coating performance

Photocatalytic Self-cleaning

Weather resistance

Weather resistance grade
★★★

Installation

Installation Horizontal and Vertical



FH4895U



FH4896U



FH4898U



FH4899U

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 25kg/piece

Outside corner

Outside corner l=455

Outside corner l=3030

Shiplap corner
Vertical instalation with clips

16×outside:91(inside:75)
×455(exposed width)

16×outside:91(inside:75)
×3030

Accessories list

Genuine accessories are required to install siding panels


Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
Panel					
FH4895U	FHD4895U	FHP4895U	B2241W2	B8430577	B96L2540CU
FH4896U	FHD4896U	FHP4896U	B2241W2	B8430495	B96L1438HU
FH4898U	FHD4898U	FHP4898U	B2241W3	B8430713	B96L2416BU
FH4899U	FHD4899U	FHP4899U	B2241557	B84302546	B96L2546BU
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box ^{*1} (Ordering Unit 1piece)	1 set/box
				Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	Inorganic ever-drying type Paint Base(10g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

^{*1} The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Zen Garden FT



HFH9121U



HFH9122U



HFH9123U




HFH9124U




HFH9125U




HFH9126U




HFH9127U




HFH9128U



HFH9129U



HFH91210U



HFH91212U




HFH91214U



HFH91216U



HFH91217U




HFH91218U

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 22kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Panel	Accessories	Outside corner l=455	Outside corner l=3030	Repair Paint
HFH9121U		HFHD9121U	HFHL9121U	B963051AU
HFH9122U		HFHD9122U	HFHL9122U	B962540BU
HFH9123U		HFHD9123U	HFHL9123U	B962531BU
HFH9124U		HFHD9124U	HFHL9124U	B963444AU
HFH9125U		HFHD9125U	HFHL9125U	B963445AU
HFH9126U		HFHD9126U	HFHL9126U	B963446AU
HFH9127U		HFHD9127U	HFHL9127U	B963447AU
HFH9128U		HFHD9128U	HFHL9128U	B963448AU
HFH9129U		HFHD9129U	HFHL9129U	B962766BU
HFH91210U		HFHD91210U	HFHL91210U	B962626BU
HFH91212U		HFHD91212U	HFHL91212U	B962735CU
HFH91214U		HFHD91214U	HFHL91214U	B962583DU
HFH91216U		HFHD91216U	HFHL91216U	B963432AU
HFH91217U		HFHD91217U	HFHL91217U	B963437AU
HFH91218U		HFHD91218U	HFHL91218U	B963438AU
Number of panel per package		10 pieces/box (Ordering Unit 1piece)	1piece	1 set/box Inorganic ever-drying type Paint Base(9g)1piece, Hardener(7g)1piece, Primer(7.5g)1piece,brush2pieces

Flat FT

Coating performance



Photocatalytic Self-cleaning

Weather resistance

Weather resistance grade
★★★

Installation



Installation Horizontal and Vertical



Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 29kg/piece

Outside corner





Filltect N Hydrophilic 16 Standard

Filltect N Hydrophilic 16
Tiers Tile FT
FW7142A

Ridge Wave FT

Coating performance

Hydrophilic Self-cleaning

Weather resistance

Weather resistance grade ★

Installation

Installation Horizontal



FW4911U



FW4913U




FW4914U

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 26kg/piece

Outside corner

Outside corner l=455



16×outside:91(inside:75)
×455(exposed width)

Accessories list

Genuine accessories are required to install siding panels

Accessories				
Panel	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
FW4911U	FWD4911U	B84303859	B93HB3003BU	B93HB3080AU
FW4913U	FWD4913U	B8430409	B93HB2413BU	B93HB3098BU
FW4914U	FWD4914U	B84303878	B93HB2417AU	B93HB3220BU
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box ¹ (Ordering Unit 1piece)	60g/bottle	
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately		

¹ The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

New Slim Stone FT

Coating
performance

Hydrophilic
Self-
cleaning

Weather
resistance

Weather
resistance grade
★

Installation

Installation
Horizontal
and
Vertical



FW4861K



FW4863K



FW4864K





FW4865K

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m²/piece
Weight	Approx. 24kg/piece

Outside corner



Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint	
Panel						
FW4861K	FWD4861K	FWP4861K	B2241W2	B84301944	B93HB2531BU	—
FW4863K	FWD4863K	FWP4863K	B2241W4	B84301937	B93HB1623AU (Dark color)	B93HB2666AU (Light color)
FW4864K	FWD4864K	FWP4864K	B2241550	B84301935A	B93HB2533AU (Light color)	B93HB2535AU (Dark color)
FW4865K	FWD4865K	FWP4865K	B22413114	B84303869	B93HB2716BU (Dark color)	B93HB3220AU (Light color)
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box¹ (Ordering Unit 1piece) Caulking(600ml) 10pieces, Primer,brush,nozzle 2pieces *Holder set are sold separately	60g/bottle	

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Tiers Tile FT

Coating performance

Hydrophilic Self-cleaning

Weather resistance

Weather resistance grade ★

Installation

Installation Horizontal



FW7141A



FW7142A



FW7143A



FW7144A



FW7145A



FW7146A

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m ² /piece
Weight	Approx. 24kg/piece

Outside corner

Outside corner l=455



16×outside:91(inside:75)
×455(exposed width)

Accessories list

Genuine accessories are required to install siding panels

Accessories				
Panel	Outside corner l=455	Caulking (Holder set: B80E)	Repair Paint	
FW7141A	FWD7141A	B84301653	B93HB2456AA	—
FW7142A	FWD7142A	B84301653	B93HB2634BA	—
FW7143A	FWD7143A	B84302417B	B93HB3246AA	—
FW7144A	FWD7144A	B84303045	B93HB2417DA	—
FW7145A	FWD7145A	B84304053	B93HB3106AA (Light color)	B93HB3318AA (Dark color)
FW7146A	FWD7146A	B8430522B	B93HB3222CA	—
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	10 pieces/box* (Ordering Unit 1piece)	60g/bottle	
		Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately		

*1 The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Stripe 10 FT

Coating performance

Hydrophilic Self-cleaning

Weather resistance

Weather resistance grade ★

Installation

Installation Horizontal and Vertical



FW7161K



FW7162K



FW7163K



FW7164K



FW7165K



FW7167K

Specifications

Size	16×455(exposed width)×3030mm
Number of panel per package	2pieces
Coverage	1.38m²/piece
Weight	Approx. 24kg/piece

Outside corner

Outside corner l=455

Outside corner l=3030

16×outside:91(inside:75) ×455(exposed width)

16×outside:91(inside:75) ×3030

Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside corner l=455	Outside corner l=3030	Through Wall Flashing l=3030	Caulking (Holder set: B80E)	Repair Paint
Panel					
FW7161K	FWD7161K	FWP7161K	B2241W2	B84302491B	B93HB3160ANK
FW7162K	FWD7162K	FWP7162K	B2241549	B84303212	B93HB3391ANK
FW7163K	FWD7163K	FWP7163K	B2241462	B84301758A	B93HB3166BNK
FW7164K	FWD7164K	FWP7164K	B2241W3	B8430713	B93HB3152ANK
FW7165K	FWD7165K	FWP7165K	B2241W1(Black)/B2241W2(White)/B2241W3(Brown)/B2241W4(Gray)	B84303218	B93HB3218AU
FW7167K	FWD7167K	FWP7167K	B2241549	B84303219	B93HB3394ANK
Number of panel per package	10 pieces/box (Ordering Unit 1piece)	1piece	5 pieces/box	10 pieces/box ^{*1} (Ordering Unit 1piece) Caulking(600ml)10pieces, Primer,brush,nozzle2pieces *Holder set are sold separately	60g/bottle

^{*1} The dedicated primer (part number B85AA or B85BB) will be shipped at the same time.

Ceradir V 14

Ceramic Brick

Coating
performance

Hydrophilic
Self-
cleaning

Weather
resistance

Weather
resistance grade
★

Installation

Installation
Horizontal



HCW2321GC



HCW2322GC



HCW2323GC



HCW2324GC



HCW2327GC

Specifications

Size	14×455(exposed width)×3000mm
Number of panel per package	2pieces
Coverage	1.37m ² /piece
Weight	Approx. 20kg/piece

Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside Metal Corner I=3030	T-shaped aluminum joiner	L-shaped aluminum joiner	Repair Paint	
Panel					
HCW2321GC	B211512	B36F2	B36KF2	B93HB2660D	—
HCW2322GC	B211550	B36F4	B36KF4	B93HB2741A	B93HB1794B
HCW2323GC	B211476	B36F4	B36KF4	B93HB2654A	B93HB2664A
HCW2324GC	B211476	B36F3	B36KF3	B93HB2654A	B93HB654B
HCW2327GC	B211W1	B36F1	B36KF1	B93HB669C	—
Number of packages		15 pieces/box	15 pieces/box	60g/bottle	
	5 pieces/box				

Marble Stone

Coating performance


Hydrophilic Self-cleaning

Weather resistance

Weather resistance grade ★

Installation

Installation Horizontal



HCW2331GC



HCW2332GC



HCW2333GC

■ Specifications

Size	14×455(exposed width)×3000mm
Number of panel per package	2pieces
Coverage	1.37m ² /piece
Weight	Approx. 20kg/piece

■ Accessories list Genuine accessories are required to install siding panels

Accessories	Outside Metal Corner l=3030	T-shaped aluminum joiner	L-shaped aluminum joiner	Repair Paint
Panel				
HCW2331GC	B211512	B36F4	B36KF4	B93HB2660D
HCW2332GC	B211427	B36F4	B36KF4	B93HB2725A
HCW2333GC	B211557	B36F4	B36KF4	B93HB1481A
Number of packages		15 pieces/box	15 pieces/box	60g/bottle
	5 pieces/box			

Colors and patterns may differ between the catalog and the actual product. Please check with actual product samples. Prices are manufacturer's suggested prices. Installation costs are not included.

Erde Flat

Coating performance


Hydrophilic Self-cleaning

Weather resistance

Weather resistance grade ★

Installation

Installation Horizontal and Vertical




HCW2421GC



HCW2422GC



HCW2423GC



HCW2424GC

■ Specifications

Size	14×455(exposed width)×3000mm
Number of panel per package	2pieces
Coverage	1.37m²/piece
Weight	Approx. 20kg/piece

■ Accessories list Genuine accessories are required to install siding panels

Accessories	Outside Metal Corner l=3030	T-shaped aluminum joiner	L-shaped aluminum joiner	Repair Paint
Panel				
HCW2421GC	B211W2	B36F2	B36KF2	B93HB2658D
HCW2422GC	B211557	B36F2	B36KF2	B93HB2498B
HCW2423GC	B211550	B36F4	B36KF4	B93HB2741C
HCW2424GC	B211549	B36F1	B36KF1	B93HB689F
Number of packages		15 pieces/box	15 pieces/box	60g/bottle
	5 pieces/box			

Oak

Coating
performance

Hydrophilic
Self-
cleaning

Weather
resistance

Weather
resistance grade

★

Installation

Installation

Horizontal



HCW9141GC



HCW9142GC



HCW9143GC

Specifications

Size	14×455(exposed width)×3000mm
Number of panel per package	2pieces
Coverage	1.37m ² /piece
Weight	Approx. 20kg/piece

Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside Metal Corner l=3030	T-shaped aluminum joiner	L-shaped aluminum joiner	Repair Paint
Panel				
HCW9141GC	B211425	B36F4	B36KF4	B93HB1792D
HCW9142GC	B211459	B36F4	B36KF4	B93HB2687B
HCW9143GC	B211W3	B36F3	B36KF3	B93HB1714
Number of packages		15 pieces/box	15 pieces/box	60g/bottle
	5 pieces/box			

Modern Stripe 1

Coating performance


Hydrophilic Self-cleaning

Weather resistance


Weather resistance grade ★

Installation

Installation Horizontal and Vertical



HCW9151GC



HCW9152GC



HCW9154GC



HCW9155GC



HCW9159GC



HCW91510GC




HCW91511GC



HCW91512GC

Specifications

Size	14×455(exposed width)×3000mm
Number of panel per package	2pieces
Coverage	1.37m²/piece
Weight	Approx. 20kg/piece



*1 This pattern is a texture that blends well with the striped panels.

Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside Metal Corner l=3030	T-shaped aluminum joiner	L-shaped aluminum joiner	Repair Paint
Panel				
HCW9151GC	B2113058	B36F2	B36KF2	B93HB3058
HCW9152GC	B211512	B36F4	B36KF4	B93HB428
HCW9154GC	B211460	B36F4	B36KF4	B93HB583
HCW9155GC	B211557	B36F4	B36KF4	B93HB557
HCW9159GC	B211550	B36F4	B36KF4	B93HB2741C
HCW91510GC	B211476	B36F4	B36KF4	B93HB2654A
HCW91511GC	B211W1	B36F1	B36KF1	B93HB735
HCW91512GC	B211549	B36F4	B36KF4	B93HB3284B
Number of packages	 5 pieces/box	15 pieces/box	15 pieces/box	60g/bottle

Sottile

Coating
performance

Hydrophilic
Self-
cleaning

Weather
resistance

Weather
resistance grade
★

Installation

Installation
Horizontal
and
Vertical



HCW1111GC



HCW1112GC




HCW1119GC



HCW11110GC



HCW11124GC



HCW11126GC



HCW11127GC



HCW11128GC



HCW11131GC



HCW11132GC



HCW11133GC

Specifications

Size	14×455(Exposed width (length))×3000
Number of panel per package	2pieces
Coverage	1.37m ² /piece
Weight	Approx. 20kg/piece

Accessories list

Genuine accessories are required to install siding panels

Accessories	Outside Metal Corner l=3030	T-shaped aluminum joiner	L-shaped aluminum joiner	Repair Paint
Panel				
HCW1111GC	B211512	B36F4	B36KF4	B93HB428
HCW1112GC	B211427	B36F4	B36KF4	B93HB427
HCW1119GC	B211462	B36F1	B36KF1	B93HB462
HCW11110GC	B211460	B36F4	B36KF4	B93HB583
HCW11124GC	B211476	B36F3	B36KF3	B93HB476
HCW11126GC	B211468	B36F4	B36KF4	B93HB3043
HCW11127GC	B2113058	B36F2	B36KF2	B93HB3058
HCW11128GC	B2113057	B36F4	B36KF4	B93HB3057
HCW11131GC	B211550	B36F4	B36KF4	B93HB2741C
HCW11132GC	B211476	B36F4	B36KF4	B93HB2654A
HCW11133GC	B211W1	B36F1	B36KF1	B93HB735
Number of packages		15 pieces/box	15 pieces/box	60g/bottle
	5 pieces/box			

KMEW



PT. CENGKARENG PERMAI
BUILDING MATERIAL SPECIALIST

Verified Quality, Officially Distributed



KMEW Co.,Ltd.

Head office: 13F, Crystal Tower Bldg.,
1-2-27 Shiromi, Chuo-ku, Osaka, Japan



cengkarengpermai.com

Head Office : Jl. Raya Daan Mogot No.48C
Grogol petamburan, Kota Jakarta Barat, Indonesia